



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>

QA Testing

1 of 2

## BPC-157 5MG

Sample ID: 2606AFL1031.3689

Internal Lab ID: ATL-37521

Client

VYTL Labs

Matrix: Peptide

Received: 06/30/2026

185 Paulerino Ste C-206

Type: Vial (Injectable)

Completed: 07/14/2026

Costa Mesa, CA 92626

Unit Weight: g

Batch#: FLL-0629



### Summary

Test

Date Tested

Result

Batch

Complete

### Peptides

Complete

**99.93%**  
Total Purity

| Analyte | Purity | Result  | Analyte | Purity | Result |
|---------|--------|---------|---------|--------|--------|
|         | %      | mg/unit |         |        |        |
| BPC-157 | 99.931 | 4.35    |         |        |        |

ACCURATE  
TEST LAB

Document ID: COA-12 Peptides Rev. 1, Test Method: TM-13  
Date Tested: 06/30/2026

Unit Weight = 1



Lise Berthe-Laurent  
Laboratory Director  
07/14/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.



Accurate Test Labs  
1305 NW 65th Pl  
Fort Lauderdale, FL 33309

(954) 515-0200  
<http://accuratetestlab.com>

QA Testing

2 of 2

## BPC-157 5MG

Sample ID: 2606AFL1031.3689

Internal Lab ID: ATL-37521

Client

VYTL Labs

Matrix: Peptide

Received: 06/30/2026

185 Paulerino Ste C-206

Type: Vial (Injectable)

Completed: 07/14/2026

Costa Mesa, CA 92626

Unit Weight: g

Batch#: FLL-0629

### Endotoxins

Pass

| Analyte   | Limit          | Result        | Status |
|-----------|----------------|---------------|--------|
| Endotoxin | eu/mg<br>70.00 | eu/mg<br>0.10 | Pass   |



Date Tested: 07/08/2026

ACCURATE  
TEST LAB



  
Lise Berthe-Laurent  
Laboratory Director  
07/14/2026

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.