



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(954) 515-0200
<http://accuratetestlab.com>

QA Testing

1 of 1

Tesa/IPA 13/3

Sample ID: 2606AFL1031.3704

Internal Lab ID: ATL-37536

Client

VYTL Labs

Matrix: Peptide

Received: 06/30/2026

185 Paulerino Ste C-206

Type: Vial (Injectable)

Completed: 07/02/2026

Costa Mesa, CA 92626

Unit Weight: g

Batch#: FLL-0629



Summary

Test

Date Tested

Result

Batch

Complete

Peptides

Complete

99.10%
Total Purity

Analyte	Purity	Result	Analyte	Purity	Result
	%	mg/unit		%	mg/unit
Ipomorelin	70	3.28	Tesamorelin	29.099	11.71
			Total		14.99

ACCURATE
TEST LAB

Document ID: COA-12 Peptides Rev. 1, Test Method: TM-13
Date Tested: 07/01/2026

Unit Weight = 1



Lise Berthe-Laurent
Laboratory Director
07/02/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

